Journal of Biomedical Materials Research
Author Index—Volume 31

Abe, K. See Hidaka, S., 11
Akay, M.
—; Aslan, N.: Numerical and experimental stress analysis of a polymeric composite hip joint prosthesis, 167
Alexander, H. See Choueka, J., 35
—; See Toolan, B. C., 273
Algan, S. A. See Horowitz, S. M., 91
Asakura, T. See Nishiyama, N., 379
Askendal, A. See Tengvall, P., 305
Aslan, N. See Akay, M., 167
Ayoub, N. See Meddahi, A., 293

Barrick, M. K. See Hilbert, S. L., 503
Barritault, D. See Meddahi, A., 293
Batchelder, K. F. See Hilbert, S. L., 503
Baudys, M. See Chytry, V., 265
Bauer, T. W. See Hirakawa, K., 257
Bedossa, P. See Fernández-Urrusuno, R., 401
Bellón, J. M.
—; Buján, J.; Contreras, L. A.; Hernando, A.; Jurado, F.: Similarity in behavior of polytetrafluoroethylene (ePTFE) prostheses implanted into different interfaces, 1
Benoit, J. See Meddahi, A., 293
Bhatnagar, R. S. See Qian, J. J., 545
Bianco, P. D.
—; Ducheyne, P.; Cuckler, J. M.: Local accumulation of titanium released from a titanium implant in the absence of wear, 227
Blaauw, E. H. See den Dunnen, W. F. A., 105
Bowry, S. K. See Matata, B. M., 63
Brown, P. W.
—; Fulmer, M.: The effects of electrolytes on the rates of hydroxyapatite formation at 25 and 38°C, 395
Brunette, D. M. See Chou, L., 209
Buján, J. See Bellón, J. M., 1
Büsing, M. See Pineda, L. M., 385

Cabasso, I. See Rawls, H. R., 339
Canahua, H. See Escudero, M. L., 313
Cassinelli, C. See Morra, M., 149
Cavedagna, D. See Cenni, E., 145
—; See Granchi, D., 183
Cenni, E.
—; Ciapetti, G.; Cervellati, M.; Cavedagna, D.; Falsone, G.; Gamberini, S.; Pizzoferrato, A.: Activation of the plasma coagulation system induced by some biomaterials (Technical Note), 145
Cervellati, M. See Cenni, E., 145
Cetinel, B. See Renard, G., 193
Chapekar, M. S.
—; Zaremba, T. G.; Kuester, R. K.; Hitchins, V. M.: Synergistic induction of tumor necrosis factor α by bacterial lipopolysaccharide and lipoteichoic acid in combination with polytetrafluoroethylene particles in a murine macrophage cell line RAW 264.7, 251
Charvet, J. L. See Choueka, J., 35
Chou, L.
—; Firth, J. D.; Nathanson, D.; Uitto, V.-J.; Brunette, D. M.: Effects of titanium on transcriptional and post-transcriptional regulation of fibronectin in human fibroblasts, 209
Choueka, J.
—; Charvet, J. L.; Koval, K. J.; Alexander, H.; James, K. S.; Hooper, K. A.; Kohn, J.: Canine bone response to tyrosine-derived polycarbonates and poly(L-lactic acid), 35
Chytry, V.
—; Letourneur, D.; Baudys, M.; Jozefonvicz, J.: Conjugates of insulin with copolymers of N-(2-hydroxypropyl) methacrylamide: Effects on smooth muscle cell proliferation, 265

Ciapetti, G. See Cenni, E., 145
—; See Granchi, D., 183
Cima, L. G. See Park, A., 117
Claes, L. E. See Margevicius, K. J., 319
Coble, H. D. See Dasarathy, H., 81
Contreras, L. A. See Bellón, J. M., 1
Courtney, J. M. See Matata, B. M., 63
Couvreur, P. See Fernández-Urrusuno, R., 401
Craig, R. G. See Lee, V. A., 51
Cuckler, J. M. See Bianco, P. D., 227

Daculsi, G.
—; Legeros, J. P.: 3-Dimensional defects of biological interest in hydroxyapatite, 495
Dasarathy, H.
—; Riley, C.; Coble, H. D.; Lacefield, W. R.; Maybee, G.: Hydroxyapatite/metal composite coatings formed by electrocodeposition, 81
Degawa, H. See Tsuchiya, T., 299
den Dunnen, W. F. A.
—; Stokroos, I.; Blaauw, E. H.; Holwerda, A.; Pennings, A. J.; Robinson, P. H.; Schakenraad, J. M.: Light-microscopic and electron-microscopic evaluation of short-term nerve regeneration using a biodegradable poly(DL-lactide-ϵ-caprolacton) nerve guide, 105
Deutsch, T. F. See Lewandrowski, K.-U., 365
Doi, K.
—; Nakayama, Y.; Matsuda, T.: Novel compliant and tissue-permeable microporous polyurethane vascular prosthesis fabricated using an excimer laser ablation technique, 27
Doi, Y.
—; Horiguchi, T.; Moriwaki, Y.; Kitago, H.; Kajimoto, T.;

Iwayama, Y.: Formation of apatite–collagen complexes, 43
Donati, M. E. See Granchi, D., 183
Doppalapudi, V. A. See Harada, Y., 19
Ducheyne, P. See Bianco, P. D., 227
Durand, J. See Renard, G., 193
Dürselen, L. See Margevicius, K. J., 319
Dyulgerova, E. See Opalchenova, G., 219

Escudero, M. L.
—; López, M. F.; Ruiz, J.; García-Alonso, M. C.; Canahua, H.: Comparative study of the corrosion behavior of MA-956 and conventional metallic biomaterials, 313

Falsone, G. See Cenni, E., 145
Fattal, E. See Fernández-Urrusuno, R., 401
Feduik, D. See Ruse, N. D., 457
Féger, J. See Fernández-Urrusuno, R., 401
Fernández-Urrusuno, R.
—; Fattal, E.; Rodrigues, Jr., J. M.; Féger, J.; Bedossa, P.; Couvreur, P.: Effect of polymeric nanoparticle administration on the clearance activity of the mononuclear phagocyte system in mice, 401
Ferrans, V. J. See Hilbert, S. L., 503
Fields, G. B. See Huebsch, J. B., 555
Filisko, F. E. See Lee, V. A., 51
Firth, J. D. See Chou, L., 209
Flanagan, B. F. See Hunt, J. A., 139
Frautschi, J. R. See Joshi, R. R., 201
Frenkel, S. R. See Toolan, B. C., 273
Fritsch, E. W.
—; Static and fatigue properties of two new low-viscosity PMMA bone cements improved by vacuum mixing, 451
Frondoza, C. G. See Nicholson III, J. J., 345
Fulmer, M. See Brown, P. W., 395

Gamberini, S. See Cenni, E., 145
García-Alonso, M. C. See Escudero, M. L., 313
Gatti, A. M.
—; Valdre, G.; Tombesi, A.: Importance of microanalysis in understanding mechanism of transformation in active glassy biomaterials, 475
Gogolewski, S. See Pineda, L. M., 385
Goldring, S. R. See Harada, Y., 19
Goodman, S. B.
—; Knoblich, G.; O'Connor, M.; Song, Y.; Huie, P.; Sibley, R.: Heterogeneity in cellular and cytokine profiles from multiple samples of tissue surrounding revised hip prostheses, 421
Granchi, D.
—; Ciapetti, G.; Savarino, L.; Cavedagna, D.; Donati, M. E.; Pizzoferrato, A.: Assessment of metal extract toxicity on human lymphocytes cultured *in vitro*, 183
Granier, R. J. See Rawls, H. R., 339
Gratzer, P. F.
—; Pereira, C. A.; Lee, J. M.: Solvent environment modulates effects of glutaraldehyde crosslinking on tissue-derived biomaterials, 533

Hahn, D. W.
—; Wolfarth, D. L.; Parks, N. L.: Characterization of submicron polyethylene wear debris from synovial-fluid samples of revised knee replacements using a light-scattering technique, 355
Hanselmann, K. See Margevicius, K. J., 319
Harada, Y.
—; Wang, J.-T.; Doppalapudi, V. A.; Willis, A. A.; Jasty, M.; Harris, W. H.; Nagase, M.; Goldring, S. R.: Differential effects of different forms of hydroxyapatite and hydroxyapatite/tricalcium phosphate particulates on human monocyte/macrophages *in vitro*, 19
Harris, W. H. See Harada, Y., 19
Harten, R. D. See Walenciak, M. T., 465
Herbst, K. See Söderling, E., 525
Hernando, A. See Bellón, J. M., 1
Hidaka, S.
—; Okamoto, Y.; Abe, K.; Miyazaki, K.: Effects of indium and iron ions on *in vitro* calcium phosphate precipitation and crystallinity, 11
Hilbert, S. L.
—; Sword, L. C.; Batchelder, K. F.; Barrick, M. K.; Ferrans, V. J.: Simultaneous assessment of bioprosthetic heart valve biomechanical properties and collagen crimp length, 503
Hill, S. L. See Nicholson III, J. J., 345
Hirakawa, K.
—; Bauer, T. W.; Stulberg, B. N.; Wilde, A. H.: Comparison and quantitation of wear debris of failed total hip and total knee arthroplasty, 257
Hitchins, V. M. See Chapekar, M. S., 251
Holwerda, A. See den Dunnen, W. F. A., 105
Hooper, K. A. See Choueka, J., 35
Horiguchi, T. See Doi, Y., 43
Horowitz, S. M.
—; Algan, S. A.; Purdon, M. A.: Pharmacologic inhibition of particulate-induced bone resorption, 91
Hsiue, G.-H. See Yang, J.-M., 281
Hsu, C.-S. See Sung, H.-W., 511
Huang, J. See Katona, T. R., 445
Huebsch, J. B.
—; Fields, G. B.; Triebes, T. G.; Mooradian, D. L.: A photoreactive analog of peptide FN-C/H-V from the carboxy-terminal heparin-binding domains of fibronectin supports endothelial cell adhesion and spreading on biomaterial surfaces, 555
Huie, P. See Goodman, S. B., 421
Hulshoff, J. E. G.
—; van Dijk, K.; van der Waerden, J. P. C. M.; Wolke, J. G. C.; Kalk, W.; Jansen, J. A.: Evaluation of plasma-spray and magnetron-sputter Ca-P–coated implants: An *in vivo* experiment using rabbits, 329
Hunt, J. A.
—; Flanagan, B. F.; McLaughlin, P. J.; Strickland, I.; Williams, D. F.: Effect of biomaterial surface charge on the inflammatory response: Evaluation of cellular infiltration and TNFα production, 139

Ikada, Y. See Otani, Y., 157
Iwaki, M. See Kaibara, M., 429
Iwata, H. See Kaibara, M., 429
Iwayama, Y. See Doi, Y., 43

James, K. S. See Choueka, J., 35
Jansen, J. A. See Hulshoff, J. E. G., 329
Jasty, M. See Harada, Y., 19
Jha, L. J.
—; Santos, J. D.; Knowles, J. C.: Characterization of apatite layer formation on P_2O_5-CaO, P_2O_5-CaO-Na_2O, and

P_2O_5-CaO-Na_2O-Al_2O_3 glass hydroxyapatite composites, 481
Joshi, R. R.
—; Underwood, T.; Frautschi, J. R.; Phillips, Jr, R. E.; Schoen, F. J.; Levy, R. J.: Calcification of polyurethanes implanted subdermally in rats is enhanced by calciphylaxis, 201
Jozefonvicz, J. See Chytry, V., 265
Jurado, F. See Bellón, J. M., 1

Kaibara, M.
—; Iwata, H.; Wada, H.; Kawamoto, Y.; Iwaki, M.; Suzuki, Y.: Promotion and control of selective adhesion and proliferation of endothelial cells on polymer surface by carbon deposition, 429
Kajimoto, T. See Doi, Y., 43
Kalk, W. See Hulshoff, J. E. G., 329
Katona, T. R.
—; Winkler, M. M.; Huang, J.: Stress analysis of a bulk-filled Class-V chemical-cured dental composite restoration, 445
Kawamoto, Y. See Kaibara, M., 429
Keyak, J. H.
—; Lee, I. Y.; Nath, D. S.; Skinner, H. B.: Postfailure compressive behavior of tibial trabecular bone in three anatomic directions, 373
Kitago, H. See Doi, Y., 43
Kitsugi, T. See Nagano, M., 487
Knoblich, G. See Goodman, S. B., 421
Knowles, J. C. See Jha, L. J., 481
Kohda, A. See Yamauchi, K., 439
Kohn, J. See Choueka, J., 35
Kokubo, T. See Tanahashi, M., 243
—; See Nagano, M., 487
Konishi, Y. See Yamauchi, K., 439
Koval, K. J. See Choueka, J., 35
Kuester, R. K. See Chapekar, M. S., 251
Kusunoki, T. See Yamauchi, K., 439

Lacefield, W. R. See Dasarathy, H., 81
Larmas, E. See Söderling, E., 525
Lee, I. Y. See Keyak, J. H., 373
Lee, J. M. See Gratzer, P. F., 533
Lee, V. A.
—; Craig, R. G.; Filisko, F. E.; Zand, R.: Preparation and characterization of high-surface-area polymer substrates for microcalorimetry, 51
Lee, Y.-S. See Sung, H.-W., 511
Legeais, J.-M. See Renard, G., 193
Legeros, J. P. See Daculsi, G., 495
Letourneur, D. See Chytry, V., 265
Levy, R. J. See Joshi, R. R., 201
Lewandrowski, K.-U.
—; Venugopalan, V.; Tomford, W. W.; Schomacker, K. T.; Mankin, H. J.; Deutsch, T. F.: Kinetics of cortical bone demineralization: Controlled demineralization—a new method for modifying cortical bone allografts, 365
Lin, D.-S. See Sung, H.-W., 511
López, M. F. See Escudero, M. L., 313
Lowe, G. D. O. See Matata, B. M., 63
Lundström, I. See Tengvall, P., 305

MacEntee, M. I. See Ruse, N. D., 457
Mankin, H. J. See Lewandrowski, K.-U., 365
Margevicius, K. J.
—; Claes, L. E.; Dürselen, L.; Hanselmann, K.: Identification and distribution of synthetic ligament wear particles in sheep, 319
Matata, B. M.
—; Courtney, J. M.; Sundaram, S.; Wark, S.; Bowry, S. K.; Vienken, J.; Lowe, G. D. O.: Determination of contact phase activation by the measurement of the activity of supernatant and membrane surface-adsorbed factor XII (FXII): Its relevance as a useful parameter for the *in vitro* assessment of haemodialysis membranes, 63
Matsuda, T. See Doi, K., 27
—; Nakayama, Y.: Surface microarchitectural design in biomedical applications: *In vitro* transmural endothelialization on microporous segmented polyurethane films fabricated using an excimer laser, 235
—; See Tanahashi, M., 243
Maybee, G. See Dasarathy, H., 81
McLaughlin, P. J. See Hunt, J. A., 139
Meddahi, A.
—; Benoit, J.; Ayoub, N.; Sézeur, A.; Barritault, D.: Heparin-like polymers derived from dextran enhance colonic anastomosis resistance to leakage, 293
Meinig, R. P. See Pineda, L. M., 385
Merritt, K. See Yang, J., 71
Messner, K. See Räsänen, T., 519
Miyazaki, K. See Hidaka, S., 11
Molino, L. N.
—; Topoleski, L. D. T.: Effect of $BaSO_4$ on the fatigue crack propagation rate of PMMA bone cement, 131
Mooradian, D. L. See Huebsch, J. B., 555
Moriwaki, Y. See Doi, Y., 43
Morra, M.
—; Cassinelli, C.: *Staphylococcus epidermidis* adhesion to films deposited from hydroxyethylmethacrylate plasma, 149

Nagano, M.
—; Kitsugi, T.; Nakamura, T.; Kokubo, T.; Tanahashi, M.: Bone bonding ability of an apatite-coated polymer produced using a biomimetic method: A mechanical and histological study *in vivo*, 487
Nagase, M. See Harada, Y., 19
Nakai, H. See Nishiyama, N., 379
Nakamura, A. See Tsuchiya, T., 299
Nakamura, T. See Nagano, M., 487
Nakaoka, R. See Tsuchiya, T., 299
Nakayama, Y. See Doi, K., 27
—; See Matsuda, T., 235
Nath, D. S. See Keyak, J. H., 373
Nathanson, D. See Chou, L., 209
Nemoto, K. See Nishiyama, N., 379
Nicholson III, J. J.
—; Hill, S. L.; Frondoza, C. G.; Rose, N. R.: Silicone gel and octamethylcyclotetrasiloxane (D4) enhances antibody production to bovine serum albumin in mice, 345
Nilsson, J.-O. See Örnhagen, C., 97
Nishiyama, N.
—; Suzuki, K.; Asakura, T.; Nakai, H.; Yasuda, S.; Nemoto, K.: The effects of pH of *N*-methacryloyl glycine primer on bond strength to acid-etched dentin, 379

O'Connor, M. See Goodman, S. B., 421
Okamoto, Y. See Hidaka, S., 11
Opalchenova, G.
—; Dyulgerova, E.; Petrov, O. E.: A study of the influence of biphase calcium phosphate ceramics on bacterial strains: *In vitro* approach, 219
Örnhagen, C.
—; Nilsson, J.-O.; Vannevik, H.:

Characterization of a nitrogen-rich austenitic stainless steel used for osteosynthesis devices, 97
Otani, Y.
—; Tabata, Y.; Ikada, Y.: A new biological glue from gelatin and poly(L-glutamic acid), 157

Pachence, J. M. See Toolan, B. C., 273
Park, A.
—; Cima, L. G.: *In vitro* cell response to differences in poly-L-lactide crystallinity, 117
Parks, N. L. See Hahn, D. W., 355
Pennings, A. J. See den Dunnen, W. F. A., 105
Pereira, C. A. See Gratzer, P. F., 533
Petrov, O. E. See Opalchenova, G., 219
Phillips, Jr, R. E. See Joshi, R. R., 201
Pineda, L. M.
—; Büsing, M.; Meinig, R. P.; Gogolewski, S.: Bone regeneration with resorbable polymeric membranes. III. Effect of poly(L-lactide) membrane pore size on the bone healing process in large defects, 385
Pizzoferrato, A. See Cenni, E., 145
—; See Granchi, D., 183
Pouliquen, Y. See Renard, G., 193
Purdon, M. A. See Horowitz, S. M., 91

Qian, J. J.
—; Bhatnagar, R. S.: Enhanced cell attachment to anorganic bone mineral in the presence of a synthetic peptide related to collagen, 545

Räsänen, T.
—; Messner, K.: Regional variations of indentation stiffness and thickness of normal rabbit knee articular cartilage, 519
Rawls, H. R.
—; Granier, R. J.; Smid, J.; Cabasso, I.: Thermomechanical investigation of poly(methylmethacrylate) containing an organobismuth radiopacifying additive, 339
Renard, G.
—; Cetinel, B.; Legeais, J.-M.; Savoldelli, M.; Durand, J.; Pouliquen, Y.: Incorporation of a fluorocarbon polymer implanted at the posterior surface of the rabbit cornea, 193
Ricci, J. L. See Walenciak, M. T., 465
Riley, C. See Dasarathy, H., 81
Robinson, P. H. See den Dunnen, W. F. A., 105
Rodrigues, Jr., J. M. See Fernández-Urrusuno, R., 401
Rodriguez-Galicia, J. L. See Salinas-Rodriguez, A., 409
Rose, N. R. See Nicholson III, J. J., 345
Ruiz, J. See Escudero, M. L., 313
Ruse, N. D.
—; Troczynski, T.; MacEntee, M. I.; Feduik, D.: A novel fracture toughness test using a notchless triangular prism (NTP) specimen, 457

Salinas-Rodriguez, A.
—; Rodriguez-Galicia, J. L.: Deformation behavior of low-carbon Co-Cr-Mo alloys for low-friction implant applications, 409
Santos, J. D. See Jha, L. J., 481
Savarino, L. See Granchi, D., 183
Savoldelli, M. See Renard, G., 193
Schakenraad, J. M. See den Dunnen, W. F. A., 105
Schoen, F. J. See Joshi, R. R., 201
Schomacker, K. T. See Lewandrowski, K.-U., 365
Sézeur, A. See Meddahi, A., 293
Sibley, R. See Goodman, S. B., 421
Skinner, H. B. See Keyak, J. H., 373
Smid, J. See Rawls, H. R., 339
Söderling, E.
—; Herbst, K.; Larmas, E.; Yli-Urpo, A.: Protein adsorption to a bioactive glass with special reference to precorrosion, 525
Song, Y. See Goodman, S. B., 421
Stamer, D. T. See Walenciak, M. T., 465
Stangel, I.
—; Valdes, E.; Xu, J.: Absorption of iron by dentin: Its role in discoloration, 287
Stokroos, I. See den Dunnen, W. F. A., 105
Strickland, I. See Hunt, J. A., 139
Stulberg, B. N. See Hirakawa, K., 257
Sundaram, S. See Matata, B. M., 63
Sung, H.-W.
—; Hsu, C.-S.; Lee, Y.-S.; Lin, D.-S.: Crosslinking characteristics of an epoxy-fixed porcine tendon: Effects of pH, temperature, and fixative concentration, 511
Suzuki, K. See Nishiyama, N., 379
Suzuki, Y. See Kaibara, M., 429
Sword, L. C. See Hilbert, S. L., 503

Tabata, Y. See Otani, Y., 157
Tanahashi, M.
—; Kokubo, T.; Matsuda, T.: Quantitative assessment of apatite formation via a biomimetic method using quartz crystal microbalance, 243
—; See Nagano, M., 487
Tengvall, P.
—; Askendal, A.; Lundström, I.: Complement activation by IgG immobilized on methylated silicon, 305
Tombesi, A. See Gatti, A. M., 475
Tomford, W. W. See Lewandrowski, K.-U., 365
Toolan, B. C.
—; Frenkel, S. R.; Pachence, J. M.; Yalowitz, L.; Alexander, H.: Effects of growth-factor–enhanced culture on a chondrocyte-collagen implant for cartilage repair, 273
Topoleski, L. D. T. See Molino, L. N., 131
Triebes, T. G. See Huebsch, J. B., 555
Troczynski, T. See Ruse, N. D., 457
Tsuchiya, T.
—; Nakaoka, R.; Degawa, H.; Nakamura, A.: Studies on the mechanisms of tumorigenesis induced by polyetherurethanes in rats: Leachable and biodegradable oligomers involving the diphenyl carbamate structure acted as an initiator on the transformation of Balb 3T3 cells, 299

Uitto, V.-J. See Chou, L., 209
Underwood, T. See Joshi, R. R., 201

Valdes, E. See Stangel, I., 287
Valdre, G. See Gatti, A. M., 475
van der Waerden, J. P. C. M. See Hulshoff, J. E. G., 329
van Dijk, K. See Hulshoff, J. E. G., 329
Vannevik, H. See Örnhagen, C., 97
Venugopalan, V. See Lewandrowski, K.-U., 365
Vienken, J. See Matata, B. M., 63

Wada, H. See Kaibara, M., 429
Walenciak, M. T.
—; Zimmerman, M. C.; Harten, R. D.; Ricci, J. L.; Stamer, D. T.: A biomechanical and histological analysis of an HA coated, arc deposited CPTi canine hip prosthesis, 465
Wang, J.-T. See Harada, Y., 19
Wark, S. See Matata, B. M., 63
Wilde, A. H. See Hirakawa, K., 257
Williams, D. F. See Hunt, J. A., 139
Willis, A. A. See Harada, Y., 19
Winkler, M. M. See Katona, T. R., 445
Wolfarth, D. L. See Hahn, D. W., 355
Wolke, J. G. C. See Hulshoff, J. E. G., 329

Xu, J. See Stangel, I., 287

Yalowitz, L. See Toolan, B. C., 273
Yamauchi, A. See Yamauchi, K., 439
Yamauchi, K.
—; Yamauchi, A.; Kusunoki, T.; Kohda, A.; Konishi, Y.: Preparation of stable aqueous solution of keratins, and physiochemical and biodegradational properties of films, 439
Yang, J.
—; Merritt, K.: Production of monoclonal antibodies to study corrosion products of CO-CR biomaterials, 71
Yang, J.-M.
—; Hsiue, G.-H.: Radiation-induced graft copolymer SBS-g-VP for biomaterial usage, 281
Yasuda, S. See Nishiyama, N., 379
Yli-Urpo, A. See Söderling, E., 525

Zand, R. See Lee, V. A., 51
Zaremba, T. G. See Chapekar, M. S., 251
Zimmerman, M. C. See Walenciak, M. T., 465

Journal of Biomedical Materials Research
Subject Index—Volume 31

Acid-etched dentin, 379
Adhesion, 81, 149
Adhesive interfaces, 457
Adhesive primer, 379
Anorganic bone mineral, 545
Anterior cruciate ligament (ACL), 511
Antibody production, 345
Apatite formation, 243
Apatite-coated polymer, 487
Apatite–collagen complex, 43
Arc deposited (AD) commercially pure titanium implant surface, 465
Articular cartilage, 519

Bacterial lipopolysaccharide (LPS), 251
Bacterial strains, 219
Balb 3T3 cells, 299
Bioactive glass, 525
Bioactive glassy materials, 475
Biodegradable poly(DL-lactide-ϵ-caprolacton) nerve guide, 105
Biological glue, 157
Biomimetic method, 487
Bioprosthetic heart valves, 503
Biphase Calcium Phosphate Ceramics (BCPCs), 219
Bone bonding, 487
Bone cement, 131
Bone cement particles, 91
Bone cements, 451
Bone defects, 475
Bone healing, 385
Bone resorption, 91
Bone substitutes, 43
Bone tissue response, 465
Bone–implant interface, 19, 421
Bovine serum albumin (BSA), 345
Bulk properties, 117

Calcification, 201
Calciphylaxis, 201
Calcium phosphate (Ca-P)–coated implants, 329
Calcium phosphate precipitates, 11
Carbon deposition, 429
Cardiovascular implants, 201
Cartilage repair, 273
Cartilage stiffness, 519
Cartilage thickness, 519
Cell adhesion, 429, 555
Cell spreading, 555
Cellular infiltration, 139
Chondrocyte-seeded collagen implant, 273
Circulatory interface, 1
Collagen, 533
Collagen crimp length, 503
Colonic anastomosis repair, 293
Complement activation, 305
Compression, 373
Computer-aided excimer laser (KrF) ablation technique, 27
Contact phase activation, 63
Corneal stroma, 193
Corrosion, 71, 97, 313
Cortical bone allografts, 365
Cortical bone demineralization, 365
Crosslinking, 511
Crystallites, 481
Cultured lymphocytes, 183

Degradable polymers, 35
Demineralization, 365
Dental acrylic resins, 339
Dental composite restorations, 445
Dentin, 293

Electrocodeposition, 81
Electrolytes, 395
Endothelial cells, 429
Energy dispersive x-ray spectrometry (EDS), 287
Epoxy-fixed porcine tendons, 511
Excimer laser, 235

Factor XII (FXII), 63
Fatigue crack growth rate, 131
Fatigue strength, 451
Fibroblasts, 209
Fibronectin, 209, 555
Finite element (FE) analysis, 167
Fluorocarbon polymer, 193
Fracture toughness, 457

Glutaraldehyde/solvent solutions, 533
Growth factors, 273

HA/tricalcium phosphates (HA/TCP) coatings, 19
Heat-treated plasma-spray Ca-P coating, 329
Hemodialysis membrane biocompatibility, 63
High-surface-area polymeric substrates, 51
Human dermal fibroblasts, 545
Human gingival fibroblasts, 209
Human monocyte/macrophages, 19
Hydrogels, 157
Hydroxyapatite (HA) ceramics, 495
Hydroxyapatite (HA) coating, 465
Hydroxyapatite (HA) coatings, 19
Hydroxyapatite (HAp) formation, 395
Hydroxyapatite/metal composite coatings, 81

Immobilized IgG, 305
In vitro, 11, 19, 63, 117, 145, 183, 219, 235, 299, 439, 481, 495, 555
In vivo, 27, 329, 439, 475, 487, 495, 533
In vivo degradation kinetics, 35
Indium, 11
Inflammatory response, 139
Injection molding, 167
Insulin, 265
Interfacial shear strength, 465
Iron ions, 11
Iron-containing mordants, 293

Keratins, 439
Knee implants, 355

Light-scattering technique, 355
Lipoteichoic acid (LTA), 251
Low-carbon Co-Cr-Mo alloys, 409
Low-friction implant applications, 409
Low-viscosity bone cement, 451
Lymphocytes, 183

MA-956 superalloy, 313
Magnetron-sputter coating, 329
Metal extract toxicity, 183

Metal sensitivity, 71
Metallic alloys, 313
Metallic implant materials, 227
Methylated silicon, 305
Microcalorimetry, 51
Micropores, 235
Microporous polyurethane vascular prosthesis, 27
Monoclonal antibodies, 71
Mononuclear phagocyte system, 401
Morphometry, 503

Net surface charge, 139
Nitrogen-rich austenitic stainless steel, 97
Notchless triangular prism (NTP), 457

Octamethylcyclotetrasiloxane (D4), 345
Optical polarizing microscopy, 281
Organobismuth radiopacifying additive, 339

Particle migration, 319
Peptide sequences, 555
pH, 379
Plasma coagulation system, 145
Plasma-deposited surfaces, 149
Plasma-spray Ca-P coating, 329
Plasma-treated surfaces, 149
Plastic flow behavior, 409
P_2O_5-based glass hydroxyapatite (HA) composites, 481
Polarized light microscopy, 503
Poly(L-glutamic acid) (PLGA), 157
Poly(L-lactide) membranes, 385
Polyetherurethanes (PEUs), 299
Poly-L-lactide (PLLA) crystallinity, 117
Polymeric composite hip joint replacement, stress analysis, 167
Polymeric nanoparticle administration, 401
Polymerization shrinkage, 445
Polytetrafluoroethylene (ePTFE), 1
Polytetrafluoroethylene (PTFE) particles, 251
Pore sizes, 385
Porous expanded polytetrafluoroethylene (PTFE), 193
Precorrosion, 525
Protein adsorption, 51, 525

Quartz crystal microbalance (QCM) technique, 243

Radiation-induced graft copolymerization, 281
Revised hip prostheses, 421
RGTA11, 293

S. epidermidis adhesion, 149
Scanning electron microscopy (SEM), 287, 481
Short-term peripheral nerve regeneration, 105
Silicone gel, 345
Sintering temperatures, 495
Smooth muscle cells (SMC), 265
Solution cast film, 439
Stainless steels, 97
Submicron-sized ultra-high-molecular-weight polyethylene (UHMWPE) wear debris, 355
Synovial fluid, 355
Synthetic ligament wear particles, 319
Synthetic 15-residue peptide, 545

Thin film X-ray diffractometry (TF-XRD), 481
Thrombin formation, 145
Tibial trabecular bone, 373
Tissue interface, 1
Tissue-derived biomaterials, 533
Titanium (Ti), 209, 227
TNFα production, 139
Total hip arthroplasty, 257
Total joint replacements, 71
Total knee arthroplasty, 257
Transient restorative–tooth interface stresses, 445
Transmission electron microscopy (TEM), 495
Transmural endothelialization, 235
Tumor necrosis factor α (TNF-α), 251
Tumorigenesis, 299
Tyrosine-derived polycarbonates, 35

Uniaxial tension testing, 409

Vacuum mixing, 451
Vascular prosthesis, 27
Vascular replacement, 1

Water-soluble carbodiimides (WSC), 157
Wear debris, 257
Wound-healing complications, 293

X-ray photoelectron spectroscopy (XPS), 287, 481